

The Expertise You Need The Service You Deserve



Dust Collectors

Wet Scrubbers

Bulk Loading Spouts



The Expertise You Need The Service You Deserve

With Nearly 150 Years of Experience, You Can Rely on Sly to

Provide the Right Recommendation – Wet or Dry

Most dust collector manufacturers have a favorite collection technology: **the one that they sell!** Sly has a different approach that we've used since 1874: we offer multiple industrial dust collection technologies. We recommend the best solution for your application without playing favorites.

No other company provides a better customer experience than Sly throughout the entire lifecycle:

Application Advice ► Design Customization ► Fabrication ► Quality Control ► Product Performance ► Post-Sale Support









Top Bag Removal Rectangular STJ



Top Bag Removal Cylindrical CTR

Put Years of Experience on Your Side

Sly was founded in 1874 and patented one of the very first fabric dust collectors in 1902. We have the proven experience to guide you. Join the thousands of sophisticated buyers of air pollution control equipment who respect our abilities.

You Never Need to Compromise

- High temperature designs
- Pressure and vacuum applications
- Special arrangements to fit tight spaces
- Fabric bags or pleated bags
- Alloy construction
- Internal and external polishing
- Engineered support structures
- Custom inlet and hopper configurations
- Special coatings
- Exceptional customer service
- Designs to minimize energy requirements, maximize bag life, avoid unscheduled shutdowns, provide years of trouble-free operation

OSHA-compliant combustible dust explosion protection per NFPA such as, but not limited to, 652, 654, 68, & 69.

Dust Collectors

Pulse-Cleaned Bag Collectors

Sly offers a full range of standard and custom baghouse designs to solve the toughest particulate collection problems including high temperatures, pressures and corrosive conditions.

- Expert application advice
- Explosion protection expertise
- Steady pressure drop afforded by proper design

- Pulse pipes and bags are removed and replaced without tools
- On-demand optional cleaning feature extends bag life and conserves compressed air
- Rectangular or round housings with either top or side bag removal
- Bin vents to large rectangular modular systems
- 50-100,000 ACFM
- Wide variety of filter media options







Side Bag Removal Cylindrical CBR



Vertical Cartridge PleatJet™ CF



Horizontal Cartridge PleatJet™ II Plus HCF

Pulse-Cleaned Cartridge Collectors

For ease of maintenance and long filter life, you can rely on a Sly cartridge collector to deliver.

- Vertical and horizontal cartridge designs
- Cartridge change out does not require tools
- Standard all-welded heavy duty construction
- Down flow design
- High inlet

Offering a Broad Range of Cartridge Media

- Cellulose/Synthetics
- Spun Bonded
- FDA White
- Oleophobic
- High Temperature
- Nano
- Conductive
- PTFE membrane



Wet Scrubbers

Remove Vapors, Gases, and Particulate

Impinjet® Impingement Plate Scrubbers

The Sly Impinjet scrubber collects particulates, absorbs vapors and gases. High collection efficiencies (99+%) can be achieved with low water consumption and minimum pressure drop.

Venturi Scrubbers

Offer more advantages in separating and recovering ultra-fine particulate and liquid mists than other gas cleaning methods.

Eductor Scrubbers

Designed to remove soluble gases and particulate by inducing a gas flow using high pressure liquid focused into a venturi throat.

Packed Towers

Designed for chemical scrubbing of contaminants from gas streams.









Loading Spouts



PV and XP

Standard Spout

The best value spout for most uses. Has internal stacking cones to direct material flow. When used with a negative pressure dust collection system, it is truly dust-free.

Usage: Truck, rail car, tote bin, flexible bulk containers, carton, drum.



"Model T" Hand Crank Manually Operated

Saves money, offers flexibility. Same performance as our standard spout but eliminates the motor.

Usage: Pails, boxes, drains, flexible bulk containers, tote bins, trucks and railcars.





PV and XP, OS Series Open Stacking Spout

Comes standard with product level sensors and control circuits to maintain contact between dust skirt and material pile being formed.

Usage: Open stacking, open rail cars, open trucks.



8300 Dow Circle, Suite 600, Strongsville, OH 44136

800-334-2957

Fax: (440) 891-3210 E-mail: info@slyinc.com

Web: www.slyinc.com